

• SCREW • BOLT • NUT • RIVETS • COLD FORGE COMPONENTS • SPECIAL TYPE FASTENERS



GLOBE'S



www.globerecifiers.com

ABOUT US

GLOBE RECTIFIERS an ISO: 9001-2015 certified company; which deals in Ferrous & Non-Ferrous fastener manufacturing has emerged as a trusted name in the field of fasteners. We have been engaged in manufacturing & supply of world class Fasteners of numerous types, the variety includes Screw, Bolt, Nut, Rivet, Special Purpose Fasteners as well as various type Cold Forge Component.

One of the factors defining our success is our Clientele that includes many reputed OEM's & business houses from various fields across the globe. Our Fasteners excel in durability as they are built with high precision. We proudly ensure all our clients that our fasteners adhere to the International Standards because of the in depth quality check-up conducted before the dispatch of products. We have a good team of technical, proficient and experienced engineers who thrive to deliver quality products to all our customers.

We continuously put in our efforts to improve our quality in production cycle; quality audits and delivery methods. A few key points for our high quality work portfolio are Pre-bulb forming techniques, Deep counter-bore forming technique, Dual-axis tapping, precision forming technique, Quick die change(SMED), Nut crimping technique, etc. All this is repeatedly followed by us, in order to emerge as one of the leading manufacturer in fastener market across the globe.

Screws & Bolts

Our screws & bolts are available in various thread size and length. They are made of High tensile, which ensures the durability and corrosion resistance. Some specifications of our screws & bolts.

STANDARD : DIN / JIS / ASTN / ASMS / BS / IS / ISO.

Hex Head Screw & Bolt



- Grade : 6.8, 8.8, 10.9, 12.9 etc. (*)
- Range : Dia. – M6 to M24
- Length : 10 to 300mm

Flange/Collar Screw & Bolt



- Grade : 8.8, 10.9, 12.9 etc. (*)
- Range : Dia. – M6 to M24
- Length : 10 to 300mm

Socket Head Screw & Bolt




- Grade : 10.9, 12.9 etc. (*)
- Range : Dia. – M6 to M24
- Length : 10 to 250mm

Socket Counter Sunk (CSK) Screw & Bolt



- Grade : 8.8, 10.9, 12.9 etc. (*)
- Range : Dia. – M6 to M24
- Length : 10 to 150mm
- High Tensile

Socket Button Head Cap Screw & Bolt



- Grade : 6.8, 8.8, 10.9 etc. (*)
- Range : Dia. – M6 to M24
- Length : 10 to 125mm

Weld / Projection Screw & Bolt



- Grade : 6.8, 8.8 etc. (*)
- Range : Dia. – M6 to M24
- Length : 10 to 75mm

Note : We provide coating as customer requirement.

(Zinc plating CR3 plating, Dacromet plating, Teflon, Chrome Plating, Trivalent black Zinc coating.)

(*) = As per customer specification

Screws & Bolts

Carriage Screw & Bolt



- Grade : As per customer specification
- Range : Dia. – M6 to M24
- Length : 20 to 125 mm

Hub Bolt



- Grade : 10.9, 12.9 etc. (*)
- Range : Dia. – M12 to M22
- Length : 65 to 120mm

Axle Bolt



- Grade : 8.8, 10.9, 12.9 etc. (*)
- Range : Dia. – M10 to M20
- Length : Upto 300 mm

Grub Screw



- Grade : As per customer specification.
- Range : Dia. – M6 to M24
- Length : 20 to 200 mm

Stud



- Grade : As per customer specification.
- Range : Dia. – M6 to M24
- Length : 20 to 200 mm

Special Screws / Bolt



- Grade : As per customer specification.
- Range : Dia. – M6 to M24
- Length : 20 to 200 mm

Engine Bolt & Pin

- Grade : 10.9, 12.9 etc. (*)
- Range : M6 to M24
- Length : 20 to 200 mm



Nut

Our Nuts are available in various sizes and shapes. They are made of High tensile, which ensures the durability and corrosion resistance. Some specifications of our Nuts

- Grade : 6, 8, 10, 12 etc. (*)
- Range : Dia. – M6 to M24



Note : We provide coating as customer requirement.

(Zinc plating CR3 plating, Dacromet plating, Teflon, Chrome Plating, Trivalent black Zinc coating.)

(*) = As per customer specification

Rivets

Our Rivets are available in various sizes and shapes. These can be customized as per our customer requirement. Our products are long operating life, durability, higher efficiency and reliability.

- Material : M.S 1010/1018, Aluminium
- Range : As per customer specification



Cold Forge Component

Ball Pin & Rod

Our Ball Pin & Rod are available in various dia size and length. They are made of High tensile, which ensures the durability and corrosion resistance. Some specifications of our Ball Pin & Rod:-

- Grade : As per customer specification.
- Range : Dia. – 10mm To 45mm
- Length : 25 TO 300 mm
- High tensile




Housing

Our Housings are available in various size. They are made of High tensile, which ensures the durability and corrosion resistance. Some specifications of our Housing:

- Grade : As per customer specification.
- High tensile



For any further details or enquiries call or contact :



GLOBE RECTIFIERS (UNIT - II)

(An ISO 9001: 2015 Certified Company)

Head Off.: Plot No. 211, Sector-24, Faridabad-121 005 (Hr.) INDIA

Works : Plot No. E-97-A, Sector - 23, Faridabad-121005 HR.

Phone : +91-129-2237896-97, 4060708, 2230421.

Mobile : +91-98182 22380, 98101 12380

E-mail : gr@globerecifiers.com ; globerecifiers@rediffmail.com

Website : [http:// www.globerecifiers.com](http://www.globerecifiers.com)

Authorised Dealer :

